

Navan Development Plan 2013-2019

Flood Risk Assessment and Management Plan

Adopted Report

June 2014



County Hall Navan Meath comhairle chontae na mí meath county council



JBA Consulting

24 Grove Island Corbally Limerick Ireland

JBA Project Manager

Ross Bryant BSc MSc CEnv MCIWEM C.WEM

Revision History

Revision Ref / Date Issued	Amendments	Issued to
Draft v1.0 January 2014	First issue	Meath County Council
Draft v1.1 January 2014	Minor text	Meath County Council
Draft v1.2 January 2014	Section 5	Meath County Council
Draft v1.3 January 2014	Section 5	Meath County Council
Adopted v1.4 June 2014	Section 5	Meath County Council

Contract

This report describes work commissioned by Meath County Council, under a signed services contract, dated 24/05/2013. Ross Bryant, Rosalie Scanlon and David Moran of JBA Consulting carried out this work.

Prepared byRoss Bryant BSc MSc CEnv MCIWEM C.WEM Chartered Senior Analyst

Reviewed byJonathan Cooper BEng MSc DipCD CEng MICE MCIWEM C.WEM MIoD Director

Purpose

This document has been prepared as an SFRA for Meath County Council.

JBA



Carbon Footprint



A printed copy of the main text in this document will result in a carbon footprint of 214g if 100% post-consumer recycled paper is used and 73g if primary-source paper is used. These figures assume the report is printed in black and white on A4 paper and in duplex.

JBA is aiming to achieve carbon neutrality.

JBA consulting

Contents

1	Background to the Study	.1
1.1 1.2 1.3 1.4	Commission Scope of the Study Background Report Structure	. 1 . 1
2	Study Area	. 3
2.1 2.2 2.3 2.4	Introduction People, Property and Infrastructure Drainage Catchments & Representation Environment	. 3 . 3
3	The Planning System and Flood Risk Management Guidelines	. 5
3.1 3.2 3.3 3.4 3.5 3.6 3.7	Introduction Definition of Flood Risk Likelihood of Flooding Definition of Flood Zones Objectives and Principles of the Planning Guidelines The Sequential Approach and Justification Test Scales and Stages of Flood Risk Assessment	. 5 . 6 . 7 . 7 . 8
4	Flood Risk in Navan	. 10
4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8	Overview National PFRA Study Fluvial Flood Outlines National CFRAM Programme Swan River Flood Risk Assessment Additional Modelling of the Mill Stream Historic Flood Review and Consultation with Area Engineer Sources of Flooding Climate Change	. 11 . 12 . 12 . 12 . 13 . 13 . 15 . 17
5	Flood Risk Management	. 18
5.1 5.2 5.3 5.4 5.5 5.6	Flood Risk Policies and Objectives Development Management - Planning Applications in Navan Existing Development at Risk of Flooding Extension of Duration New Development with A2, C1, E1 and G1 zoning objectives at risk of flooding Emergency Management Plan	. 20 . 21 . 21 . 21
6	Navan Development Plan Zoning Review	. 23
6.1 6.2 6.3 6.4	Land Use Zoning Development Zoning in Navan Zoning Review SFRA Review and Monitoring	. 24 . 26
Appen	dices	. I
Α	Flood Zone Mapping	.1

List of Figures

Figure 2-1	Navan Watercourses	4
Figure 3-1	Source Pathway Receptor Model	5
Figure 3-2	Sequential Approach Principles in Flood Risk Management	8
Figure 4-1	Flood Zone mapping with watercourse annotation	11
Figure 4-2	Historic Flood Mapping; Spatial Representation	14
Figure 4-3	PFRA Indicative Pluvial Flood Map	16

List of Tables

Table 2-1	Census Population Figures	3
Table 3-1	Probability of Flooding	6
Table 3-2	Definition of Flood Zones	. 7
Table 3-3	Matrix of Vulnerability versus Flood Zone	8
Table 4-1	Flood Data Sources	. 10
Table 4-2	Historic Flooding Information - quoted from Eastern CFRAM Inception Report and the consultation with MCC Engineer	. 14
Table 4-3	Allowances for Future Scenarios (100 Year Time Horizon)	. 17
Table 6-1	Land Zoning Objectives and Vulnerabilities	23
Table 6-2	Land Use Zoning and Flood Risk in Navan	.24
Table 6-3	SFRA Review Triggers	. 39

JBA consulting

Abbreviations

1D	One Dimensional (modelling)
AEP	Annual Exceedance Probability
AFA	Area for Further Assessment
CFRAM	Catchment Flood Risk Assessment and Management
DoEHLG	Department of the Environment, Heritage and Local Government
DTM	Digital Terrain Model
EPA	Environmental Protection Agency
FRA	Flood Risk Assessment
HEFS	High End Future Scenario
JFLOW	2-D hydraulic modelling package developed by JBA
LA	Local Authority
LiDAR	Light Detection And Ranging
MRFS	Medium Range Future Scenario
OPW	Office of Public Works
OS	Ordnance Survey
PFRA	Preliminary Flood Risk Assessment
SAC	Special Area of Conservation, designated under the Habitats
	Directive
SEA	Strategic Environmental Assessment
SFRA	Strategic Flood Risk Assessment
SPA	Special Protection Area for birds, protected under the EU Birds Directive
SPR	Standard percentage runoff
SUDS	Sustainable Urban Drainage Systems
Тр	Time to Peak



This page is intentionally left blank.

1 Background to the Study

1.1 Commission

JBA Consulting was commissioned by Meath County Council to undertake a Strategic Flood Risk Assessment of the proposed draft variation to the Navan Development Plan 2009-2015. This variation is currently being prepared jointly by Meath County Council & Navan Town Council.

This report details the SFRA for the development plan area and has been prepared in accordance with the requirements of the DoEHLG and OPW Planning Guidelines, The Planning System and Flood Risk Management¹.

1.2 Scope of the Study

Under the "Planning System and Flood Risk Management" guidelines, the purpose for the SFRA is detailed as being *"to provide a broad (wide area) assessment of all types of flood risk to inform strategic land-use planning decisions. SFRAs enable the LA to undertake the sequential approach, including the Justification Test, allocate appropriate sites for development and identify how flood risk can be reduced as part of the development plan process".*

The Navan Development Plan 2009-2015 (NDP) will be the key document for setting out a vision for how Navan should develop during the plan period.

It is important that the NDP is consistent with the Meath County Development Plan 2013-2019 SFRA, and therefore "The Planning System and Flood Risk Management Guidelines for Planning Authorities" (OPW/DoEHLG, 2009), which states that flood risk management should be integrated into spatial planning policies at all levels to enhance certainty and clarity in the overall planning process.

In order to ensure that flood risk is integrated into the NDP, Meath CC has issued a brief to consultants for the provision of a Flood Risk Assessment. As laid out in the tender documents, the main requirements are:

- 1. Undertake a flood risk assessment for Navan,
- 2. Produce fluvial flood mapping for Navan Town & Environs,
- 3. Prepare a flood risk management plan.

1.3 Background

The SFRA considers the broader settlement strategy of the Greater Dublin Regional Planning Guidelines and the countywide policies and objectives of the County Development Plan. It is intended to be read in conjunction with the SFRA for the County Development Plan (2013-2019) as there is a degree of overlap between the two studies and in order to avoid excessive repetition some chapters of this study refer to the county scale SFRA report.

On a more local level, this study considers the development strategy that will form part of the Development Plan for Navan. The context of flood risk in the Navan area is considered with specific reference to people, property, infrastructure and the environment. A range of flood sources are considered including fluvial, pluvial and groundwater.

A two stage assessment of flood risk was undertaken, as recommended in 'The Planning System and Flood Risk Management' guidelines, for the area that lies within the development boundary of the Development Plan. The first stage is to identify flood risk. Historical records and recent events demonstrate that the Navan area has a significant history of flooding on the Blackwater River, River Boyne and Swan River and confirms that a proportion of zoned lands are at flood risk.

The second stage and the main purpose of this SFRA report is to appraise the adequacy of existing information, to prepare flood zone maps, based the County Meath SFRA and the Swan River FRA, and to highlight potential development areas that require more detailed assessment

¹ DoHELG and OPW (2009) The Planning System and Flood Risk Management: Guidelines for Planning Authorities 2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

on a site specific level. The SFRA also provides guidelines for development within areas at potential risk of flooding, and specifically looks at flood risk and the potential for development within the key sites in Navan.

1.4 Report Structure

Section 2 of this report, provides an introduction to the study area and Section 3 discusses the concepts of flooding, Flood Zones and flood risk as they are incorporated into the Planning System and Flood Risk Management.

In Section 4, the available data related to flooding is summarised and appraised, it also outlines the sources of flooding to be considered, based on the review of available data.

Following this, Section 5 provides guidance and suggested approaches to managing flood risk and development; the contents of this section will be of particular use in informing the policies and objectives within the development plan. In Section 6, specific responses to flood risk are discussed in relation to a number of key development sites within Navan. Triggers for the ongoing monitoring and future review of the SFRA are detailed in Section 6.3.

2 Study Area

2.1 Introduction

The area of interest comprises the development plan boundary of Navan Town which covers the existing urban area and greenfield periphery sites.

Navan is situated in the centre of County Meath. Navan is bypassed by the N3 Dublin to Cavan route and is located on the N51 Drogheda to Mullingar National Secondary route. Navan is circa 50 km from Dublin City and is the county town in Meath. It has a number of key land-use activities in the town including the Local Authority, Local Government, Court Service, Health Service Executive, schools and employment uses.

This section of the report will provide an overview of the study area, the drainage catchment, the population and the nature of settlement, to give context to the study.

2.2 People, Property and Infrastructure

Based on the available census figures the population of the Navan town and environs area has increased to 28559 in 2011 from 24851 in the 2006 census. The population change demonstrates a growth of 14.1%.

Table 2-1 Census Population Figures²

Area	2006	2011	% Change
1. Navan Town	3,710	28,158	
2. Navan Environs	21,141	401	
Navan Combined (1+2)	24,851	28,559	+14.1

2.3 Drainage Catchments & Representation

Navan is located at the confluence between the River Blackwater and the River Boyne. The River Blackwater catchment covers approximately 350 km² with a significant upper catchment area located in County Cavan that drains in to Lough Ramor before discharging and flowing into County Meath, close to Carnaross. The total length of the River Blackwater flowing through County Meath is approximately 32km.

The entire River Boyne catchment covers approximately 2,695 km² and includes parts of counties Louth, Cavan, Meath, Westmeath, Offaly and Kildare. The River Boyne flows through Trim and Navan to its estuary in Drogheda, the catchment area in Navan is approximately 1,600km².

In addition, there are a number of tributaries that flow into both the River Boyne and the River Blackwater. The three main tributaries are the Swan River, the Mill Stream and the Priory Stream. Other unnamed tributaries also drain parts of Navan and discharge into the Rivers Boyne or Blackwater.

Figure 2-1, over page, provides a graphical representation of the Navan watercourses. Not all watercourses present significant enough flood risk to warrant individual flood risk mapping; watercourses are therefore indicated as being modelled or un-modelled watercourses.





Figure 2-1 Navan Watercourses

2.4 Environment

Relevant Natura 2000 sites within the local area are summarised below:

- River Boyne and Blackwater candidate Special Area of Conservation (cSAC)
- River Boyne and Blackwater Special Protection Area (SPA)

Under Article 6(3) of the EU Habitats Directive, an "appropriate assessment" (AA) is required where any plan or project, either alone or 'in combination' with other plans or projects, could have an adverse effect on the integrity of a Natura 2000 site.

The management of flood risk within such areas must have regard to potential negative impacts to this environment. Further information is provided in the full Strategic Environmental Assessment (SEA) and AA for the NDP.

3 The Planning System and Flood Risk Management Guidelines

This chapter is replicated from the Meath County Development Plan 2013-2019 SFRA document; it is fundamental to understanding the SFRA process and has therefore been repeated.

3.1 Introduction

Prior to discussing the management of flood risk, it is helpful to understand what is meant by the term. It is also important to define the components of flood risk in order to apply the principles of the Planning System and Flood Risk Management in a consistent manner.

The Planning System and Flood Risk Management: Guidelines for Planning Authorities, published in November 2009, describe flooding as a natural process that can occur at any time and in a wide variety of locations. Flooding can often be beneficial, and many habitats rely on periodic inundation. However, when flooding interacts with human development, it can threaten people, their property and the environment.

This Section will firstly outline the definitions of flood risk and the Flood Zones used as a planning tool; a discussion of the principles of the planning guidelines and the management of flood risk in the planning system will follow.

3.2 Definition of Flood Risk

Flood risk is generally accepted to be a combination of the likelihood (or probability) of flooding and the potential consequences arising. Flood risk can be expressed in terms of the following relationship:

Flood Risk = Probability of Flooding x Consequences of Flooding

The assessment of flood risk requires an understanding of the sources of water, the flow path of floodwater and the people and property that can be affected. The *source - pathway - receptor model*, shown below in Figure 3-1, illustrates this and is a widely used environmental model to assess and inform the management of risk.

Figure 3-1 Source Pathway Receptor Model



Fig. A1: Sources, pathways and receptors of flooding

Source: Figure A1 The Planning System and Flood Risk Management Guidelines Technical Appendices

Principal sources of flooding are rainfall or higher than normal sea levels while the most common pathways are rivers, drains, sewers, overland flow and river and coastal floodplains and their defence assets. Receptors can include people, their property and the environment. All three elements must be present for flood risk to arise. Mitigation measures, such as defences or flood resilient construction, have little or no effect on sources of flooding but they can block or impede pathways or remove receptors.

The planning process is primarily concerned with the location of receptors, taking appropriate account of potential sources and pathways that might put those receptors at risk.

2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

Likelihood of Flooding 3.3

Likelihood or probability of flooding of a particular flood event is classified by its annual exceedance probability (AEP) or return period (in years). A 1% AEP flood indicates the flood event that will occur or be exceeded on average once every 100 years and has a 1 in 100 chance of occurring in any given year.

Return period is often misunderstood to be the period between large flood events rather than an average recurrence interval. Annual exceedance probability is the inverse of return period as shown in Table 3-1 below.

Table 3-1 Probability of Flooding

Return Period (Years)	Annual Exceedance Probability (%)
2	50
100	1
200	0.5
1000	0.1

Considered over the lifetime of development, an apparently low-frequency or rare flood has a significant probability of occurring. For example:

- A 1% flood has a 22% (1 in 5) chance of occurring at least once in a 25-year period the period of a typical residential mortgage;
- And a 53% (1 in 2) chance of occurring in a 75-year period a typical human lifetime. •

Consequences of Flooding 3.3.1

Consequences of flooding depend on the hazards caused by flooding (depth of water, speed of flow, rate of onset, duration, wave-action effects, water quality) and the vulnerability of receptors (type of development, nature, e.g. age-structure, of the population, presence and reliability of mitigation measures etc).

The Planning System and Flood Risk Management guidelines provide three vulnerability categories, based on the type of development, which are detailed in Table 3.1 of the Guidelines, and are summarised as:

- Highly vulnerable, including residential properties, essential infrastructure and • emergency service facilities:
- **Less vulnerable**, such as retail and commercial and local transport infrastructure;
- Water compatible, including open space, outdoor recreation and associated essential • infrastructure, such as changing rooms.

3.4 **Definition of Flood Zones**

In the Planning System and Flood Risk Management guidelines, Flood Zones are used to indicate the likelihood of a flood occurring. These Zones indicate a high, moderate or low probability of flooding from fluvial or tidal sources and are defined below in Table 3-2.

It is important to note that the definition of the Flood Zones is based on an undefended scenario and does not take into account the presence of flood protection structures such as flood walls or embankments constructed as part of the Mornington District Surface Water and Flood Protection Scheme. This is to allow for the fact that there is a residual risk of flooding behind the defences due to overtopping or breach and that there may be no guarantee that the defences will be maintained in perpetuity.

It is also important to note that the Flood Zones indicate flooding from fluvial and tidal sources and do not take other sources, such as groundwater or pluvial, into account, so an assessment of risk arising from such sources should also be made.

2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

Table 3-2 Definition of Flood Zones

Zone	Description
Zone A High probability of flooding.	This zone defines areas with the highest risk of flooding from rivers (i.e. more than 1% probability or more than 1 in 100) and the coast (i.e. more than 0.5% probability or more than 1 in 200).
Zone B Moderate probability of flooding.	This zone defines areas with a moderate risk of flooding from rivers (i.e. 0.1% to 1% probability or between 1 in 100 and 1 in 1000) and the coast (i.e. 0.1% to 0.5% probability or between 1 in 200 and 1 in 1000).
Zone C Low probability of flooding.	This zone defines areas with a low risk of flooding from rivers and the coast (i.e. less than 0.1% probability or less than 1 in 1000).

3.5 **Objectives and Principles of the Planning Guidelines**

The 'Planning System and Flood Risk Management' describes good flood risk practice in planning and development management. Planning authorities are directed to have regard to the guidelines in the preparation of Development Plans and Local Area Plans, and for development control purposes.

The objective of the 'Planning System and Flood Risk Management' is to integrate flood risk management into the planning process, thereby assisting in the delivery of sustainable development. For this to be achieved, flood risk must be assessed as early as possible in the planning process. Paragraph 1.6 of the Guidelines states that the core objectives are to:

- "avoid inappropriate development in areas at risk of flooding;
- avoid new developments increasing flood risk elsewhere, including that which may arise from surface run-off;
- ensure effective management of residual risks for development permitted in floodplains;
- avoid unnecessary restriction of national, regional or local economic and social growth;
- improve the understanding of flood risk among relevant stakeholders; and
- ensure that the requirements of EU and national law in relation to the natural environment and nature conservation are complied with at all stages of flood risk management".

The guidelines aim to facilitate 'the transparent consideration of flood risk at all levels of the planning process, ensuring a consistency of approach throughout the country.' SFRAs therefore become a key evidence base in meeting these objectives.

The 'Planning System and Flood Risk Management' works on a number of key principles, including:

- Adopting a staged and hierarchical approach to the assessment of flood risk;
- Adopting a sequential approach to the management of flood risk, based on the frequency of flooding (identified through Flood Zones) and the vulnerability of the proposed land use.

3.6 The Sequential Approach and Justification Test

Each stage of the FRA process aims to adopt a sequential approach to management of flood risk in the planning process.

Where possible, development in areas identified as being at flood risk should be avoided; this may necessitate de-zoning lands within the development plan. If de-zoning is not possible, then

JBA

rezoning from a higher vulnerability land use, such as residential, to a less vulnerable use, such as open space may be required.



Figure 3-2 Sequential Approach Principles in Flood Risk Management

Source: The Planning System and Flood Risk Management (Figure 3.1)

Where rezoning is not possible, exceptions to the development restrictions are provided for through the Justification Test. Many towns and cities have central areas that are affected by flood risk and have been targeted for growth. To allow the sustainable and compact development of these urban centres, development in areas of flood risk may be considered necessary. For development in such areas to be allowed, the Justification Test must be passed.

The Justification Test has been designed to rigorously asses the appropriateness, or otherwise, of such developments. The test is comprised of two processes; the Plan-making Justification Test, and the Development Management Justification Test. The latter is used at the planning application stage where it is intended to develop land that is at moderate or high risk of flooding for uses or development vulnerable to flooding that would generally be considered inappropriate for that land.

Table 3-3 shows which types of development, based on vulnerability to flood risk, are appropriate land uses for each of the Flood Zones. The aim of the SFRA is to guide development zonings to those which are 'appropriate' and thereby avoid the need to apply the Justification Test.

	Flood Zone A	Flood Zone B	Flood Zone C
Highly vulnerable development (Including essential infrastructure)	Justification Test	Justification Test	Appropriate
Less vulnerable development	Justification Test	Appropriate	Appropriate
Water-compatible development	Appropriate	Appropriate	Appropriate

Source: Table 3.2 of The Planning System and Flood Risk Management

The application of the sequential approach and Justification Test in the context of specific development sites in the NDP is discussed in Section 6.

3.7 Scales and Stages of Flood Risk Assessment

Within the hierarchy of regional, strategic and site-specific flood-risk assessments, a tiered approach ensures that the level of information is appropriate to the scale and nature of the flood-risk issues and the location and type of development proposed, avoiding expensive flood modelling and development of mitigation measures where it is not necessary. The stages and scales of flood risk assessment comprise of:

- Regional Flood Risk Appraisal (RFRA) a broad overview of flood risk issues across a region to influence spatial allocations for growth in housing and employment as well as to identify where flood risk management measures may be required at a regional level to support the proposed growth. This should be based on readily derivable information and undertaken to inform the Regional Planning Guidelines.
- Strategic Flood Risk Assessment (SFRA) an assessment of all types of flood risk informing land use planning decisions. This will enable the Planning Authority to allocate appropriate sites for development, whilst identifying opportunities for reducing flood risk. This SFRA will revisit and develop the flood risk identification undertaken in the RFRA, and give consideration to a range of potential sources of flooding. An initial flood risk assessment, based on the identification of Flood Zones, will also be carried out for those areas, which will be zoned for development. Where the initial flood risk assessment highlights the potential for a significant level of flood risk, or there is conflict with the proposed vulnerability of development, then a site specific FRA will be recommended, which will necessitate a detailed flood risk assessment.
- Site Specific Flood Risk Assessment (FRA) site or project specific flood risk assessment to consider all types of flood risk associated with the site and propose appropriate site management and mitigation measures to reduce flood risk to and from the site to an acceptable level. If the previous tiers of study have been undertaken to appropriate levels of detail, it is highly likely that the site specific FRA will require detailed channel and site survey, and hydraulic modelling.

4 Flood Risk in Navan

4.1 **Overview**

There are a number of valuable sources of flood data available for the Navan area. The following sections list the core datasets used to compile the flood map for the NDP area and gives an assessment of the data quality and the confidence in its accuracy.

4.1.1 Flood Zone Mapping

When compiling the Flood Zone mapping, the outlines have been reviewed against each other, and any additional available data, and have been refined where appropriate. In particular, the datasets that have been used for this purpose are the detailed site specific flood studies for the Swan River and the Mill Stream; both studies were based on high resolution survey data and detailed hydrological analysis and mapping.

The rivers Boyne and Blackwater are included in the OPW PFRA flood outlines which have been verified under the Eastern CFRAM Flood Risk Review (FRR). Records of historic flood events have been reviewed, and a walkover survey and consultation with MCC Engineers has also been completed to verify the finalised Flood Zone Mapping.

The resultant Flood Zones for Navan are presented in Appendix A. Figure 4-1 over the page presents an overview of the Flood Zones and watercourses. Each of the sources of flood information is discussed in more detail in the following sections of report.

Description	Coverage	Quality/Confidence	Used
Swan River Flood Study and CFRAMS modelling	Swan River - Balreask area	High/Moderate-High	Yes
1D hydraulic model using ISIS software, OPW CFRAM channel survey, OPW LiDAR and revised FSU flow estimates	Mill Stream	High/Moderate-High	Yes
National PFRA Study Flood Outlines	River Blackwater and River Boyne (mainly outside settlement area)	Moderate/Low	Yes
Eastern CFRAM FRR (Verified PFRA)	Within Navan Town for River Blackwater and River Boyne	Moderate/Low- Moderate	Yes
Historical Flood Records and Consultation with Meath CC Engineer	Navan area	Various	Yes indirectly to validate Flood Zones & identify other flood sources
Walkover Survey	Navan	Moderate/Low	Yes, to validate Flood Zones & identify other flood sources

Table 4-1 Flood Data Sources

4.1.2 Un-modelled Watercourses

A number of watercourses within the NDP are un-modelled and do not therefore have any associated Flood Zone mapping. Un-modelled watercourses were screened out on the basis that they present a low risk of flooding to surrounding property and did not justify more detailed assessment at the present time. All un-modelled watercourses are indicated in Figure 4-1, over page, and due consideration is given to the potential impacts of the watercourses in the zoning review contained in Section 6. Some of the un-modelled watercourses will be included within the Eastern CFRAM, results of which will be available later in 2014.

2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx



Figure 4-1 Flood Zone mapping with watercourse annotation

4.2 National PFRA Study Fluvial Flood Outlines

The Preliminary Flood Risk Assessment (PFRA) is a national screening exercise that was undertaken by the OPW to identify areas at potential flood risk. The PFRA was a requirement of the EU Floods Directive and the publication of this work informed the more detailed assessment that is being undertaken as part of the Catchment Flood Risk Assessment and Management (CFRAM) studies. The PFRA study considered flooding from a number of sources; fluvial, tidal, pluvial and groundwater and resulted in production of a suite of broadscale flood maps.

For the preparation of the PFRA fluvial flood maps, flood flow estimates were calculated at nodes every 500m along the entire river network. (The river network is the EPA 'blue-line' network, which, for the most part, matches the rivers mapped at the 1:50,000 scale Discovery Series OS mapping). This flow estimation was based on the OPW Flood Studies Update research programme. An assumption was made that the in-channel flow equates to the mean annual flood and so the out of bank flow for a particular AEP event was determined by deducting the mean annual flood from the flood flow estimate for that probability event.

Using a 5m national digital terrain model (DTM) a cross section was determined at 100m spacings. The Manning's equation, a hydraulic equation for normal flow, was used to calculate a flood level which was then extrapolated across the DTM to determine the flood extent. This exercise was completed by the OPW for all river catchments greater than 1km².

2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

This methodology did not take into account defences, channel structures or channel works. Potential sources of error in the mapping include local errors in the DTM or changes to the watercourse flow route due to an error in mapping or new development. In Navan, the PFRA mapping covers the Rivers Boyne and Blackwater as well as part of the Priory Stream and some of the un-named tributaries.

4.3 **National CFRAM Programme**

Following on from the PFRA study, the OPW commenced appointment of consultants to carry out a more detailed flood risk assessment for key flood risk areas. This work is being undertaken under the national CFRAM programme across seven river basin districts in Ireland. The CFRAM programme commenced with three pilot studies covering the River Lee, Fingal East Meath area and the River Dodder. A further 6 studies are currently underway in the East, South-East, South-West, West, North-West and Neagh-Bann regions.

County Meath mainly falls under the jurisdiction of the Eastern CFRAM but also falls under the study area of the Fingal East Meath (FEM FRAMS), the North West and Neagh Bann CFRAM and the Shannon CFRAM. The FEM FRAMS was a pilot study which produced detailed model output and flood maps. However, the study did not cover Navan or the surrounding area. The initial Flood Risk Review (FRR) stage of the Eastern CFRAM has been completed and this included a site based review of the PFRA flood outlines in Navan, which was forwarded as an Area for Further Assessment (AFA). A detailed assessment of the settlement is now being carried out and flood risk and hazard maps will be available later in 2014, with Management Plans by the end of 2015 or early 2016. The Eastern CFRAM will provide revised flood mapping for the River Boyne, Blackwater, Mill Stream and the Swan River (see section below for further information). The smaller tributaries, including the Priory Stream, may also receive attention within the Eastern CFRAM and some of these un-modelled channels may therefore be in receipt of new Flood Zone mapping when the deliverables are released.

Swan River Flood Risk Assessment 4.4

The Swan River Flood Risk Assessment study was commissioned by Meath County Council to assess flood risk associated with the Swan River. The initial study assessed current flooding and was followed by a scenario impact analysis which looked at measures to alleviate flooding upstream of the old railway embankment. Options proposed included the replacement of undercapacity culverts and the construction of flood defences. Modelled flood extents, representing the existing flood scenario, were used to inform the preparation of the county wide flood zone map in the SFRA for the County Development Plan. The culvert upgrading works are now complete and offer a 1 in 100 year standard of protection for the Balreask Manor Estate. However, under the Planning Guidelines, the flood zones consider an 'undefended' scenario, and red hatching has been used to identify the area benefitting from the Swan River defences in the Flood Zone maps presented in Appendix A. The modelling study originally carried out for the Swan River FRA has been re-modelled under the Eastern CFRAM and pre-draft CFRAM mapping³ has been provided by the OPW and used in the compilation of the Flood Zone mapping for this watercourse. The CFRAM uses linked 1D-2D hydraulic modelling, detailed hydrological analysis and mapping is composed using LiDAR data.

4.5 Additional Modelling of the Mill Stream

The Mill Stream is included within the Eastern CFRAM as a watercourse that will be subject to more detailed hydraulic modelling and flood mapping. Given the moderate/low confidence in the existing PFRA/JFlow flood mapping for this watercourse, the decision was taken to re-model the Mill Stream using a 1 dimensional (1D) hydraulic model (ISIS), based on channel survey and the LiDAR DTM height model procured by OPW for the CFRAM. Flows were estimated using the OPW's Flood Studies Update (FSU) methodology. The resulting analysis provided flood levels for the 1 in 100 year and 1 in 1000 year return period flow events (Flood Zone A and B). The levels were then used to create Flood Zone outlines using the LiDAR DTM. The analysis represents an increase in the confidence of the Flood Zones compared to OPW PFRA or JFlow

³ Pre-draft flood mapping has been produced by the Eastern CFRAM Consultants. The mapping has not undergone client review, and could be changed following validation and reviews associated with the CFRAM process. 2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

outlines, which do not represent in channel flow dynamics or structures such as culverts and bridges. However, the results are not as detailed as the 1D/2D linked modelling that will be undertaken as part of the CFRAMS programme; once published, those outputs will supersede the JBA modelling for the Mill Stream.

4.6 Historic Flood Review and Consultation with Area Engineer

Records of past flooding are useful for looking at the sources, seasonality, frequency and intensity of flooding. Historical records are mostly anecdotal and incomplete, but are useful for providing background information.

4.6.1 **OPW Floodmaps.ie**

The OPW hosts a National Flood Hazard Mapping website⁴ that makes available information on areas potentially at risk from flooding. This website provides information on historical flood events across the country and formed the basis of the Regional Flood Risk Appraisal.

Information is provided in the form of reports and newspaper articles which generally relate to rare and extreme events. Since the establishment of the hazard mapping website, more records are available which identify more frequent and often recurring events. These tend to include memos and meeting records from local authority area engineers, often relating to road flooding.

4.6.2 Consultation

A meeting with the MCC Area Engineer helped to clarify and improve on the general appreciation of flood risk in Navan. This includes for appropriate screening of the historic and potential flood risk from un-modelled watercourses within the settlement boundary.

The following observations were noted.

- Along the Old N3 there was flooding in the past. However, the flood defences limited the impacts. These defences have been removed in places due to further development and damage. These defences have not been taken into account in the mapping for the Boyne.
- Academy Street backs up in a storm event. It is thought that flooding here could be a from a combination of fluvial and pluvial sources. The stormwater system in the area outfalls to the Boyne.
- Athlumney road was noted as an area at risk from flooding.
- In the flood history, the Newgrange hotel was noted as being impacted. This was attributed to a blockage in the sewer pumping station which has since been rectified.
- Cannon Row has flooded in the past, most recently in 2013. This is thought to be due to flash flooding and the inability of the storm water system to take account of all surface water. There is a low point in the road at this area as the junction with Abbey road.
- Commons Lane has flooded in the past and it is thought that this is also due to flash flooding and surface water problems.
- Kilcarn estate is impacted by the Swan River and the Swan report outlined the measures to mitigate this. The headwall upstream of Balreask Manor Estate has been constructed, but the culvert under the railway will remain as is for the time being.

4.6.3 Summary of Historic Flood Risk

The pertinent flood risk history from both the consultation and OPW floodmaps.ie sources are summarised in Figure 4-2 and Table 4-2 over the page.



Figure 4-2 Historic Flood Mapping; Spatial Representation

Table 4-2 Historic Flooding Information - quoted from Eastern CFRAM Inception Report⁵ and the consultation with MCC Engineer

Date of Flood	Description
2013	Cannon Row has flooded in the past, most recently in 2013. This is thought to be due to flash flooding and the inability of the storm water system to take account of all surface water. There is a low point in the road at this area as the junction with Abbey road.
November 2009	Flooding occurred in Navan on 19th-20th November following torrential rainfall on November 19th. A press article states how firemen in Navan pumped water from Academy Street and on the Commons Road throughout the night to keep floodwaters at bay. However, no information on flooding of the other AFAs was available, nor were there any details of flood extents, levels or the source of flooding.
August 2008	Heavy rainfall on 16th August resulted in the River Boyne overtopping its banks in Navan. Flooding also resulted due to sewers being overwhelmed by the rainfall. The Newgrange Hotel in Navan was flooded (blockage of sewage pumping station) and some roads/streets including Cannon Row, Circular Road, Commons Road and roads at Ardsallagh, Cannistown and Bloomsbury Bridge were also flooded. Information available on the OPW hydrometric website indicated that an average daily flow of 233m ³ /s was recorded at the Navan Weir station on August 17th, which was the largest average daily flow of 2008.
November 2002	In Navan and in Trim, more extensive fluvial flooding occurred as a result of

⁵ Eastern CFRAM Study HA07 Inception Report, RPS/OPW June, 2012. 2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

JBA

 the River Boyne overflowing in both towns, while in Navan, the River Biackwater also overflowed. It was estimated in a Consultant's report "Flood Risk Assessment Study of Mill Lane and Convent Road Sites, Navan⁴⁵ that the flood event in Navan had an AEP of 10%. Flooding occurred in the Townparks, Academy Street, Claremont and Moatlands areas of Navan. Flow information is available from the OPW hydrometric stations in the Navan and Tim areas. The mean daily flow for this flood event at Blackcastle, Navan Weir and Liscartan Hydrometric Stations was 371m³/s. ad 95.m³/s respectively, while at Trim, the mean daily flow for the event was 136m³/s. November 2000 In Navan extensive fluvial flooding occurred as a result of the River Boyne overflowing, the River Blackwater also overflowed. It was estimated in an OPW memo that the flood event had an AEP of 3.33% based on the flow in the River Boyne at Slane Castle. The mean daily flow (as per http://www.opw.ie/hydro) for this flood event at Blackcastle and Liscartan Hydrometric Stations exceeded those for the November 2002 flood, while at Navan Weir (256m³/s) and Trim Hydrometric Stations (127m³/s), the November 2002 figures. In Navan, the flooding was evident by roads being impassable and the swimming pool was flooded. The Moat/Mile, Academy Street, Liscarton and Kilcarn Court areas also flood event in Navan in January 1991. No details of cause of flooding, source or flows are available, with the only information reported being of Hooding in Academy Street. December 1978 Academy Street was the worst affected area. Mill Lane, Athlumney Road, Watergate Street and Dublin Road were also flooded. A number of homes, businesses, schools, etc, flooded. However, problems were compounded by freezing and bursting of water pipes but it is not clear how many homes were affected by this. An OPW report on the flood event, mille affected area was Kilcarn, new Navan. Hee River Boyne overflowed. The affected area was Kilcarn, new Navan. Ho		
 overflowing, the River Blackwater also overflowed. It was estimated in an OPW memo that the flood event had an AEP of 3.3%, based on the flow in the River Boyne at Slane Castle. The mean daily flows (as per http://www.opw.ie/hydro) for this flood event at Blackcastle and Liscartan Hydrometric Stations exceeded those for the November 2002 flood, while at Navan Weir (256m³/s) and Trim Hydrometric Stations (127m³/s), the November 2002 floures. In Navan, the flooding was evident by roads being impassable and the swimming pool was flooded. The Moatville, Academy Street, Liscarton and Kilcarn Court areas also flooded. January 1991 Outline information is available for a flood event in Navan in January 1991. No details of cause of flooding, source or flows are available, with the only information reported being of flooding in Academy Street. December 1978 Academy Street was the worst affected area. Mill Lane, Athlumney Road, Watergate Street and Dublin Road were also flooded. A number of homes, businesses, schools, etc. flooded. However, problems were compounded by freezing and bursting of water pipes but it is not clear how many homes were affected by this. An OPW report on the flood event, entitled "Flood of 27th-29th December, 1978 on Boyne Catchment", estimated AEPs of 16.7% for the River Boyne flow and 5% for the River Blackwater flow. The difference in the two figures is due to heavier rainfall on the northern part of the Boyne catchment. 1968/January An OPW report indicates that flooding occurred during December 1969 1968/January 1969 in Navan, the River Boyne overflowed. The affected area was Kilcarn, near Navan. However, no exact date or specific details are available for this flood event. November 1965 In Navan, the River Boyne overflowed. The peak flow at Liscartan Hydrometric Station was also affected. December 1954 In Navan		Blackwater also overflowed. It was estimated in a Consultant's report "Flood Risk Assessment Study of Mill Lane and Convent Road Sites, Navan ⁷⁶ that the flood event in Navan had an AEP of 10%. Flooding occurred in the Townparks, Academy Street, Claremont and Moatlands areas of Navan. Flow information is available from the OPW hydrometric website for the hydrometric stations in the Navan and Trim areas. The mean daily flow for this flood event at Blackcastle, Navan Weir and Liscartan Hydrometric Stations was 371m ³ /s, 283.7m ³ /s and 95.2m ³ /s respectively, while at Trim, the mean
January 1991Outline information is available for a flood event in Navan in January 1991. No details of cause of flooding, source or flows are available, with the only information reported being of flooding in Academy Street.December 1978Academy Street was the worst affected area. Mill Lane, Athlumney Road, Watergate Street and Dublin Road were also flooded. A number of homes, businesses, schools, etc, flooded. However, problems were compounded by freezing and bursting of water pipes but it is not clear how many homes were affected by this. An OPW report on the flood event, entitled "Flood of 27th-29th December, 1978 on Boyne Catchment", estimated AEPs of 16.7% for the River Boyne flow and 5% for the River Blackwater flow. The difference in the two figures is due to heavier rainfall on the northern part of the Boyne catchment.1968/January 1969An OPW report indicates that flooding occurred during December 1968/January 1969 in Navan when the River Boyne overflowed. The affected area was Kilcarn, near Navan. However, no exact date or specific details are available for this flood event.November 1965In Navan, the River Boyne overflowed. The peak flow at Liscartan Hydrometric Station was estimated to be 65.7m3/s in the HydroEnvironmental report ⁶ . Reports indicate that Academy Street worst affected by the flooding where seven families were evacuated. The bridge in Navan flooded, and twenty families were forced to evacuate their homes on Academy Street which was flooded (the lowest point on Academy Street is approximately 34.75mOD Poolbeg). Four families were evacuated on Bridge Street/Blackcastle Avenue/Flower Hill. Flooding also occurred on Circular Road, Parnell Park, McDermott Villas and 	November 2000	overflowing, the River Blackwater also overflowed. It was estimated in an OPW memo that the flood event had an AEP of 3.33% based on the flow in the River Boyne at Slane Castle. The mean daily flows (as per http://www.opw.ie/hydro) for this flood event at Blackcastle and Liscartan Hydrometric Stations exceeded those for the November 2002 flood, while at Navan Weir (256m ³ /s) and Trim Hydrometric Stations (127m ³ /s), the November 2000 flows were marginally lower than the corresponding November 2002 figures. In Navan, the flooding was evident by roads being impassable and the swimming pool was flooded. The Moatville, Academy Street, Liscarton and
December 1978Academy Street was the worst affected area. Mill Lane, Athlumney Road, Watergate Street and Dublin Road were also flooded. A number of homes, businesses, schools, etc. flooded. However, problems were compounded by freezing and bursting of water pipes but it is not clear how many homes were affected by this. An OPW report on the flood event, entitled "Flood of 27th-29th December, 1978 on Boyne Catchment", estimated AEPs of 16.7% for the River Boyne flow and 5% for the River Blackwater flow. The difference in the 	January 1991	details of cause of flooding, source or flows are available, with the only
 1969 1968/January 1969 in Navan when the River Boyne overflowed. The affected area was Kilcarn, near Navan. However, no exact date or specific details are available for this flood event. November 1965 In Navan, the River Boyne overflowed. The peak flow at Liscartan Hydrometric Station was estimated to be 65.7m3/s in the HydroEnvironmental report⁶. Reports indicate that Academy Street worst affected by the flooding where seven families were evacuated. The bridge in Navan flooded and the Dublin Road was also affected. December 1954 In Navan, the River Boyne and River Blackwater flooded, and twenty families were forced to evacuate their homes on Academy Street which was flooded (the lowest point on Academy Street is approximately 34.75mOD Poolbeg). Four families were evacuated on Bridge Street/Blackcastle Avenue/Flower Hill. Flooding also occurred on Circular Road, Parnell Park, McDermott Villas and Cannon Row. The peak flow at Liscartan Hydrometric Station was 119.6m3/s according to the HydroEnvornmental report⁶, which is similar to the flow during the November 2000 event. That particular event was calculated to have an 	December 1978	Academy Street was the worst affected area. Mill Lane, Athlumney Road, Watergate Street and Dublin Road were also flooded. A number of homes, businesses, schools, etc, flooded. However, problems were compounded by freezing and bursting of water pipes but it is not clear how many homes were affected by this. An OPW report on the flood event, entitled "Flood of 27th-29th December, 1978 on Boyne Catchment", estimated AEPs of 16.7% for the River Boyne flow and 5% for the River Blackwater flow. The difference in the two figures is due to heavier rainfall on the northern part of the Boyne
Station was estimated to be 65.7m3/s in the HydroEnvironmental reportReports indicate that Academy Street worst affected by the flooding where seven families were evacuated. The bridge in Navan flooded and the Dublin Road was also affected.December 1954In Navan, the River Boyne and River Blackwater flooded, and twenty families were forced to evacuate their homes on Academy Street which was flooded (the lowest point on Academy Street is approximately 34.75mOD Poolbeg). Four families were evacuated on Bridge Street/Blackcastle Avenue/Flower Hill. Flooding also occurred on Circular Road, Parnell Park, McDermott Villas and Cannon Row. The peak flow at Liscartan Hydrometric Station was 119.6m3/s according to the HydroEnvornmental report ⁶ , which is similar to the flow during the November 2000 event. That particular event was calculated to have an		1968/January 1969 in Navan when the River Boyne overflowed. The affected area was Kilcarn, near Navan. However, no exact date or specific details are
were forced to evacuate their homes on Academy Street which was flooded (the lowest point on Academy Street is approximately 34.75mOD Poolbeg). Four families were evacuated on Bridge Street/Blackcastle Avenue/Flower Hill. Flooding also occurred on Circular Road, Parnell Park, McDermott Villas and Cannon Row. The peak flow at Liscartan Hydrometric Station was 119.6m3/s according to the HydroEnvornmental report ⁶ , which is similar to the flow during the November 2000 event. That particular event was calculated to have an	November 1965	Station was estimated to be 65.7m3/s in the HydroEnvironmental report ⁶ . Reports indicate that Academy Street worst affected by the flooding where seven families were evacuated. The bridge in Navan flooded and the Dublin
	December 1954	were forced to evacuate their homes on Academy Street which was flooded (the lowest point on Academy Street is approximately 34.75mOD Poolbeg). Four families were evacuated on Bridge Street/Blackcastle Avenue/Flower Hill. Flooding also occurred on Circular Road, Parnell Park, McDermott Villas and Cannon Row. The peak flow at Liscartan Hydrometric Station was 119.6m3/s according to the HydroEnvornmental report ⁶ , which is similar to the flow during the November 2000 event. That particular event was calculated to have an

4.7 Sources of Flooding

A review of the historical event data and predictive flood information has highlighted a number of sources of potential flood risk to the town. These are discussed in the following sections.

4.7.1 Fluvial Flooding

The main sources of historic and potential flood risk to development in Navan are the Rivers Boyne, Blackwater and Swan. Whilst there is a long collection of historic events for Navan a lot of the flood impacts are either from combined surface water/fluvial influences or surface water on its own. The most persistent fluvial related flooding is to the area around Academy Street/Bridge Street/Circular Road. As suggested by the MCC Engineer, the flooding in this area is fluvially influenced but a lot of the impacts are also related to the surface water drainage system. The Swan River and River Boyne have historically impacted property in Balreask and Kilcarn. The risk to property in Balreask Manor has been reduced by the flood alleviation scheme. Most highly vulnerable development is located on lands at lower risk of flooding, away from the Rivers Boyne and Blackwater. The management of fluvial flood risk through the development of appropriate policies and objectives is discussed Section 5. A full review of locations where development is impacted by flood risk is included in Section 6.

4.7.2 Surface Water / Pluvial Flooding

Flooding of land from surface water runoff is usually caused by intense rainfall that may only last a few hours. Areas at risk from fluvial flooding will almost certainly be at risk from surface water flooding. The indicative pluvial map from the OPW PFRA study is presented in Figure 4-3. It has been used to identify development areas at particular risk of surface water and pluvial flooding.

Historic records of surface water flooding in Navan are significant and the OPW PFRA mapping provides clarification of some of the areas. Surface water flooding is prevalent in the area around Academy Street/Bridge Street, as well as Commons Road and Lane, Cannon Row, Townparks Moatlands and Moatville. For high risk areas the management of risk can potentially be addressed by individual works and adequate warning. For new development or redevelopment of existing sites adhering to the policies on the management of surface water will ensure the risk will be adequately managed. This is explained further in Section 5.



Figure 4-3 PFRA Indicative Pluvial Flood Map⁷

4.7.3 Groundwater Flooding

Groundwater flooding is caused by the emergence of water originating from the subsurface, and is particularly common in karst landscapes. This source of flooding can persist over a number of

⁷ Source: OPW, PFRA Study Draft Data, licensed to Meath County Council 2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

weeks and poses a significant but localised issue that has attracted an increasing amount of public concern in recent years. In most cases groundwater flooding cannot be easily managed or lasting solutions engineered.

The draft PFRA groundwater flood maps⁸, which entailed an evidence-based approach and considered the hydro-geological environment, such as the presence of turloughs, did not show any significant risk in the NDP area. Based on the PFRA study the risk of groundwater flooding is not considered significant enough to warrant further investigation in this SFRA.

4.8 Climate Change

The Planning System and Flood Risk Management guidelines recommends that a precautionary approach to climate change is adopted due to the level of uncertainty involved in the potential effects.

Specific advice on the expected impacts of climate change and the allowances to be provided for future flood risk management in Ireland is given in the OPW draft guidance. Two climate change scenarios are considered. These are the Mid-Range Future Scenario (MRFS) and the High-End Future Scenario (HEFS). The MRFS is intended to represent a "likely" future scenario based on the wide range of future predictions available. The HEFS represents a more "extreme" future scenario at the upper boundaries of future projections. Based on these two scenarios the OPW recommended allowances for climate change are given in Table 3 4 below.

Table 4-3 Allowances for Future Scenario	ios (100 Year Time Horizon)
--	-----------------------------

Criteria	MRFS	HEFS	
Extreme Rainfall Depths	+20%	+30%	
Flood Flows	+20%	+30%	
Mean Sea Level Rise	+500mm	+1000mm	
Land Movement	-0.5mm / year*	-0.5mm / year*	
Urbanisation	No General Allowance - Review on Case by Case Basis	No General Allowance - Review on Case by Case Basis	
Forestation	-1/6 Tp**	-1/3 Tp** +10% SPR***	
Notes: * Applicable to the southern part of the country only (Dublin - Galway and south of this)			
** Reduce the time to peak (Tp) accordingly; this allows for potential accelerated runoff that may arise as a result of drainage of afforested land			

*** Add 10% to the Standard Percentage Runoff (SPR) rate; this allows for increased runoff rates that may arise following felling of forestry

4.8.1 Climate Change and Flood Risk Assessment

The Flood Zones are determined based on readily available information and their purpose is to be used as a tool to avoid inappropriate development in areas of flood risk. Where development is proposed within an area of potential flood risk (Flood Zone A or B), a flood risk assessment of appropriate scale will be required and this assessment must take into account climate change and associated impacts. Under the National CFRAM programme, the detailed modelling and assessment stage of each study will include for climate change effects.

Climate change may result in increased flood extents and therefore caution should be taken when zoning lands in transitional areas. As recommended in the Planning System and Flood Risk Management Guidelines; Flood Zone B, which represents the 0.1% AEP extent, can be taken as an indication of the extent of the 1% AEP flood event with climate change. In steep valleys an increase in water level will relate to a very small increase in extent, however in flatter low-lying basins a small increase in water level can result in a significant increase in flood extent.

In the design of flood alleviation measures, climate change should be taken into account and design levels of structures, such as flood walls or embankments, must be sufficient to cope with the effects of climate change over the lifetime of the structure or where circumstances permit, be capable of adaptation. Further consideration to the potential future impacts of climate change will be given for specific areas of Navan within Section 6.

⁸ Reference: Preliminary Flood Risk Assessment Groundwater Flooding, June 2010 2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

5 Flood Risk Management

The Planning Guidelines recommend a sequential approach to spatial planning, promoting avoidance rather than justification and subsequent mitigation of risk. The implementation of the Planning Guidelines is achieved through the application of policies and objectives within specific development plans.

Section 7.15 'Flood Risk Management' of Volume 1 of the Meath County Development Plan (MCDP) 2013-2019 includes a number of policies and objectives which set out the framework for flood management within the County.

The NDP SFRA will build on the overview of flood risk contained within the MCDP 2013-2019 SFRA by replicating the policies and objectives contained within the MCDP and adding to them, where necessary, to cater for the specific needs of the NDP area.

5.1 Flood Risk Policies and Objectives

The policies and objectives listed in this section have been considered and applied during the preparation of the variation to the NDP 2009-2015. In particular Policies 49-50 have ensured that the sequential approach has been adopted when considering land use zoning objectives and where necessary the Justification Test has been applied. This has resulted in re-zoning of land to open space in areas at risk of flooding, it has also protected development areas where there is a strategic requirement for town centre expansion. The policies contained within Volume 1, Section 7.15 of the MCDP 2013-2019 have been considered, slightly amended and proposed for inclusion in the NDP as follows.

INF POL 49	To integrate as relevant the "Planning System and Flood Risk Management – Guidelines for Planning Authorities" (DoEHLG/OPW, 2009) assessment of development management proposals and in the preparation of any Framework Plans or Master Plans required during the period of this Plan to include the use of the sequential approach and application of the Justification Tests.
INF POL 50	To continue to implement the findings and recommendations of the current Strategic Flood Risk Assessment prepared as part of the Navan Development Plan Variation No. 1 review. (See Appendix IV).
INF POL 51	To ensure that a flood risk assessment is carried out for all development proposals in accordance with the Navan Strategic Flood Risk Assessment recommendations and the "Planning System and Flood Risk Management – Guidelines for Planning Authorities" (DoECLG/OPW, 2009). This assessment shall be appropriate to the scale and nature of risk to the potential development.
INF POL 52	Any future planning application lodged with respect to any site having the benefit of an extant planning permission or seeking an extension of duration pursuant to Section 42 of the Planning & Development Acts 2000 – 2014 but which is identified on the land use zoning objectives map as having an interface with flood risk zones A / B shall be accompanied by an appropriately detailed Flood Risk Assessment. The Flood Risk Assessment shall clearly assess flood risks, management measures and demonstrate compliance with the "The Planning System and Flood Risk Management Guidelines for Planning Authorities" (November 2009). The Flood Risk Assessment shall consider the Sequential Approach within the subject site and would typically involve allocating water compatible development within Flood Zones A and Zone B. Buildings should be sited at an appropriate finished floor level, which should be above the 1 in 100 year flood level, with an allowance for freeboard and climate change.

INF POL 53	To consult with the Office of Public Works in relation to proposed developments in the vicinity of drainage channels and rivers for which the OPW are responsible, and the Council will retain a strip of 10 metres on either side of such channel where required, to facilitate access thereto.
INF POL 54	To consult, where necessary, with Inland Fisheries Ireland, the National Parks and Wildlife Service and other relevant agencies in the construction of flood alleviation measures in Navan.
INF POL 55	To have regard to the recommendations of the Eastern Catchment Flood Risk Assessment and Management Study when finalised and approved in conjunction with the Navan Development Plan.
INF POL 56	Where relevant, the Councils shall adopt appropriate buffer zones to protect features of European, national, regional, county and local importance, including rivers, streams, from development proposals both in terms of visual and ecological importance.
INF POL 57	The Councils recognise European and national objectives for climate adaptation and will work with the EPA, Regional Authorities and neighbouring planning authorities in implementing future Guidance for climate change proofing of land use plan provisions as is flagged in the National Climate Change Adaptation Framework (DECLG, 2012).
INF POL 58	Where practicable, and particularly in areas of new development, floor levels shall be a minimum of 300mm above adjacent roads and hard standing areas to reduce the consequences of any localised flooding.
INF POL 59	To ensure that adequate measures are put in place to deal with residual risks, proposals shall demonstrate the use of flood-resistant construction measures that are aimed at preventing water from entering a building and that mitigate the damage floodwater causes to buildings. Alternatively, designs for flood resilient construction may be adopted where it can be demonstrated that entry of floodwater into buildings is preferable to limit damage caused by floodwater and allow relatively quick recovery.
INF POL 60	To have regard to the recommendations of the Eastern Catchment Flood Risk Assessment and Management Study when finalised and approved.
INF POL 61	To protect water courses, banks and bankside vegetation from interference by inappropriate bridging, draining, culverting or other works which would be detrimental to fisheries, biodiversity and the qualifying interests of Natura 2000 sites.
INF POL 62	To ensure that all new developments have satisfactory drainage systems in the interest of public health and to avoid the pollution of ground and surface waters.
INF POL 63	To require all new large scale developments to provide 'Sustainable Urban Drainage Systems' (SuDS) as part of their development proposals.
INF POL 64	To ensure that all developments have regard to the surface water management policies in the Greater Dublin Strategic Drainage Study (GDSDS). Compliance with the recommendations contained in Technical Guidance Document, Volume 2, Chapter 4 of the Greater Dublin Strategic Drainage Study shall be required in all instances.

The objectives contained within Volume 1, Section 7.15 of the MCDP 2013-2019 have been considered, slightly amended and proposed for inclusion in the NDP as follows:

INF OBJ 47	In areas where there is a high probability of flooding – Zone A refers – it is an objective of this plan to avoid development other than 'water compatible development' as described in Section 3 of the 'The Planning System and Flood Risk Management – Guidelines for Planning Authorities' issued in November 2009 by the DoEHLG.
INF OBJ 48	In areas where there is a moderate probability of flooding – 'Zone B and Residual Risk Scenarios refers – it is an objective of this plan to avoid 'highly vulnerable development' described in Section 3 of 'The Planning System and Flood Risk Management – Guidelines for Planning Authorities' issued in November 2009 by the DoEHLG.
INF OBJ 49	To undertake a review of the 'Strategic Flood Risk Assessment for Navan' following the publication of the flood mapping which is being produced as part of the Catchment Flood Risk Assessment and Management (CFRAM) Studies.
INF OBJ 50	To design flood relief measures to ensure appropriate protection for alluvial woodland (i.e. a qualifying interest) along the Boyne.
INF OBJ 51	To design flood relief measures to protect the conservation objectives of Natura 2000 sites and to avoid indirect impacts of conflict with other qualifying interests or Natura 2000 sites.
INF OBJ 52	To promote positive flood relief measures that can enhance habitats in the Boyne floodplain such as swales, constructed wetland basins etc.
INF OBJ 53	To seek to ensure that construction works are designed so as not to result in surface water runoff into cSAC or SPAs either directly or indirectly via a watercourse.
INF OBJ 54	In determining the detailed design and final alignment of the Local Distributor Roads (LDR 3 and 4 refer), a Justification Test shall be applied if alignments being assessed interact with Flood Zone A and / or B. A detailed Flood Risk Assessment will be required to manage the risk and to demonstrate there will be no impact on adjacent lands. The detailed design of this route shall also be subject to as Appropriate Assessment pursuant to the Habitats Directive.
INF OBJ 55	The preparation of a layout for all lands identified as requiring the preparation of a Framework Plan or Master Plan shall also be cognisant of the flood risk mapping produced to inform the land use zoning objectives map of the Navan Development Plan as varied. A Flood Risk Assessment shall be prepared to accompany any planning application lodged with respect to lands contained within FP 1, FP2, FP 3, MP 3 and MP8, and any planning application shall have regard to and be consistent with the recommendations of said Flood Risk Assessment.
INF OBJ 56	To ensure that existing wetland habitats are adequately protected, managed and where appropriate enhanced where flood protection/management measures are necessary.

5.2 Development Management - Planning Applications in Navan

To clarify the application of INF POL 51 & 52 or in any instances where an FRA is requested the following text outlines the key requirements relating to the management of development and flood risk in Navan:

 Development proposals will require an appropriately detailed flood risk assessment. As a minimum this will include "Stage 1 - Identification of Food Risk". Where flood risk is identified a "Stage 2 - Initial FRA" will be required, and depending on the scale and nature of the risk a "Stage 3 - Detailed FRA" may be required. The requirement for all applications to have an accompanying Stage 1 assessment is important to allow for effective management of surface water risks. For example, a large site located in Flood Zone C may be appropriate in terms of vulnerability, but might be at potential risk of surface water flooding or residual risk of culvert failure. It is noted that this SFRA effectively deals with Stage 1 and can be referred to as such, although all development proposals must be accompanied by a surface water management plan.

- Under the FRA the impacts of climate change and residual risk (culvert/structure blockage) should be considered in setting the finished floor levels (FFL) of new development. In some cases, this may involve modelling at an appropriate level of detail.
- All development proposals will require the FRA to consider surface water management in line with the GDSDS as stated in INF POL 64.

Any proposal that is considered acceptable in principle shall demonstrate the use of the sequential approach in terms of the site layout and design and, in satisfying the Justification Test (where required), the proposal will demonstrate that appropriate mitigation and management measures are put in place.

Ground levels and FFLs must be clearly defined within the site specific FRA and must take into account the land use vulnerability and flood levels, including the impacts of climate change and additional freeboard. Flood levels for watercourses that are modelled as part of the Eastern CFRAM within Navan will be of use to future site specific FRAs.

The requirement for new development to have an FRA is specified on a site by site basis in Section 6.

5.3 Existing Development at Risk of Flooding

For existing development it is not feasible to alter the wider land use zoning objective and in most cases will not be possible to re-locate the existing development to an area at lower risk of flooding. For this reason, changes to existing development or reconstruction/new development (within existing developed areas) will require careful management.

Areas of existing development, along with their corresponding land use zoning objective, that are at risk of flooding in Navan are identified in Table 6-2 and also in the Flood Zone Mapping presented in Appendix A.

Any proposal in an area at high or moderate risk of flooding (Flood Zone A or B) that is considered acceptable in principle must demonstrate that appropriate mitigation measures can be put in place and that residual risks can be managed to acceptable levels through the submission of an appropriately detailed FRA as detailed in Section 5.2.

5.4 Extension of Duration

To clarify the application of INF POL 52; for planning applications that were granted prior to the publication of the Planning System and Flood Risk Management Guidelines in 2009, and are subsequently applying for an extension of duration, it is a requirement that an appropriately detailed FRA should be provided as part of the application (see Section 5.2). If the permitted development is found not to conform with the Planning Guidelines then the application should be refused on flood risk grounds and a new application submitted, allowing for appropriate design and FRA.

5.5 New Development with A2, C1, E1 and G1 zoning objectives at risk of flooding

Section 6.3 identifies new development sites with A2, C1, E1 and G1 zoning objectives that are subject to marginal impacts of flooding. In these locations flood risk can be managed by the adoption of the sequential approach on a site by site basis, and the Justification Test has not been applied.

Development proposals for the subject site must employ the sequential approach and allocate water compatible development within Flood Zones A and some/all of Zone B.

Planning applications within these zoning objectives must be accompanied by an appropriately detailed FRA. The FRA will set out the above approach and clearly assesses flood risks, mitigation measures (ground and FFLs) and demonstrate compliance with the Planning Guidelines in line with Section 5.2.



5.6 Emergency Management Plan

Parts of Navan have been repeatedly flooded as a result of flood events on the Rivers Blackwater and Boyne. The combination of fluvial and surface water flooding is particularly prevalent in the Academy Street/Bridge Street area and the Commons Road/Commons Lane area. To help manage the risk it is recommended that established emergency response plans, such as the Meath Local Authorities Major Emergency Plan, are reviewed, and expanded to assist with the emergency management of a flood event. The plan should include details on the dissemination of warnings, traffic and people management and clear-up procedures. In addition, the management plan for the Eastern CFRAM (available 2015/16) may identify additional risk management measures which are appropriate, including more detail on flood warning systems for the Rivers Boyne and Blackwater.

6 Navan Development Plan Zoning Review

This section presents the land use zoning objectives in the variation to the NDP and reviews the flood risk to these objectives. Where new development is zoned within areas at risk of flooding then more detailed commentary is provided along with details for justification.

6.1 Land Use Zoning

The purpose of zoning is to indicate to property owners and members of the public the types of development which the Planning Authority considers most appropriate in each land parcel.

Zoning is designed to reduce the instances of conflicting uses within areas, to protect resources and, in association with phasing, to ensure that land suitable for development is used to the best advantage of the community as a whole.

The zoning objectives can be related to the vulnerability classifications in the 'Planning System and Flood Risk Management'; highly vulnerable, less vulnerable and water compatible. The vulnerability of the land use, coupled with the Flood Zone in which it lies, guides the need for application of the Justification Test.

Objective/Use	Vulnerability*	Justification Test Required
A1 - Existing Residential	High	For development in Flood Zone A or B
A2 - New Residential	High	For development in Flood Zones A or B
B1 - Commercial/Town or Village Centre	High / Less	For highly vulnerable development in Flood Zone A or B For less vulnerable development in Flood Zone A
B2 - Retail Warehouse	Less	For development in Flood Zone A
C1 - Mixed Use	High / Less	For highly vulnerable development in Flood Zone A or B For less vulnerable development in Flood Zone A
D1 - Tourism	High / Less / Water Compatible	For highly vulnerable development in Flood Zone A or B For less vulnerable development in Flood Zone A Or appropriate - if water compatible
E1 - High Technology	Less	For development in Flood Zone A
E2 - General Enterprise & Employment	High / Less	For highly vulnerable development in Flood Zone A or B For less vulnerable development in Flood Zone A
F1 - Open Space	Water Compatible	Development is generally appropriate
G1 - Community Infrastructure	High / Less	For highly vulnerable development in Flood Zone A or B For less vulnerable development in Flood Zone A
H1 - High Amenity	Less / Water Compatible	For less vulnerable development in Flood Zone A or appropriate - if water compatible
R1 - Strategic Rail Corridor	High	For development in Flood Zone A or B
WL - White Lands	n/a	not applicable
* Land Lice Vulnershility is expressed in relation to Table 2.1 (p25) of the Planning System and Elect Disk		

Table 6-1 Land Zoning Objectives and Vulnerabilities

* Land Use Vulnerability is expressed in relation to Table 3.1 (p25) of the Planning System and Flood Risk Management Guidelines for Planning Authorities. Some Zoning Objectives include a mix of different vulnerabilities of land use and are therefore presented as such in the table above.

The land zoning objectives and their respective vulnerabilities are shown in Table 6-1. It is important to note that this table is provided as a general guide and the specific development types within the zoning objective must be considered individually, and with reference to Table 3-1 of the 'Planning System and Flood Risk Management'.

It is noted that whilst the Justification Test has been applied to land use zoning objectives in determining their applicability, there is some degree of variance in the vulnerability of the land uses under certain of the objectives in Table 6-1 above. For example the B1, C1, D1, E2 and G1 zonings can include for high or less vulnerable development. This results in a varying

2013s7163 Navan DP SFRA v1 4 tracked changes accepted.docx

JBA

requirement for the application of the Justification Test and potential suitability of the development.

Where such conditions exist the draft zoning map provides clarification of the suitability of land use vulnerability within individual land zonings.

6.2 Development Zoning in Navan

Whilst preparing the draft variation zoning objectives for new development, the Local Authority has applied the sequential approach and preferentially avoided highly vulnerable or less vulnerable land uses within areas of moderate or high flood probability (Flood Zone A or B). Where land use zonings are subject to flooding, but development pressures remain, the Justification Test has been applied.

Where there is existing development it is not feasible to alter zoning objectives during development plan preparation. For this reason, changes to existing development or reconstruction/new development (within existing developed areas) will require a site specific FRA to be conducted at the development management stage, prior to planning permission being sought.

For sites where planning permission has been granted but no construction has taken place, the land use zoning has been retained. The Justification Test does not apply in these cases and an initial assessment of flood risk to the potential development is provided. Any application for extension of duration or new applications within the zoning will require appropriately detailed FRA at development management stage, and it may be found at that stage that is it not possible to develop the site as originally planned.

The procedure for site specific FRA is outlined in Sections 5.2, 5.3 and 5.5. An overview of flood risk to the land use zoning objectives is presented in Table 6-2 below. Detailed commentary then follows for specific sites in Section 6.3.

Land Use Zoning	Comment flood risk	Justification Test Required?
A1 - Existing Residential	Areas of existing residential development are at potential risk of flooding. Flood history supports Flood Zone mapping on Academy Street and Bridge Street as well as flooding from the River Swan in Balreask and Kilcarn housing estates. Balreask Manor and Canterbrook estates are now protected up to a 1 in 100 year standard. Flood mapping also highlights potential risk from other watercourses. In line with the policies (INF POL 49 to 64) of the NDP, any extensions/change of use/reconstruction should be subject to an appropriately detailed FRA.	No
A2 - New Residential	The majority of new residential zoning objectives follow the sequential approach and preferentially avoid areas within Flood Zone A or B. The exceptions include the area upstream of the Balreask Manor and Canterbrook estate designed for a neighbourhood centre and an area of Johnstown (off Metges Road) subject to extant planning permissions. An area of A2 zoning off the Windtown Road has an un-modelled watercourse passing through it. In all cases, risk can be managed by an appropriately detailed FRA at development management stage (in line with INF POL 49 to 64 of the NDP), which should include allocation of water compatible and less vulnerable uses in Flood Zones A and B respectively.	No
B1 - Commercial/ Town Centre	Most of the B1 lands at risk of flooding have been developed(adjacent to the River Boyne) and risk should be managed in line with the policies (INF POL 49 to 64) of the NDP. Any extensions/change of use/reconstruction should be subject to an appropriately detailed FRA.	No
B2 - Retail Warehouse	Existing retail warehouse development on the R147 adjacent to the River Blackwater is within Flood Zone A/B. However the ground floor	No

Table 6-2 Land Use Zoning and Flood Risk in Navan

Land Use Zoning	Comment flood risk	Justification Test
	is raised above potential flood levels and the lower levels consist of car parking. Any extensions/change of use/reconstruction should be subject to an appropriately detailed FRA in line with NDP policies.	Required?
C1 - Mixed Use	There is significant existing C1 development adjacent to the Rivers Boyne and Blackwater located within Flood Zone A/B and risk should be managed in line with the policies (INF POL 49 to 64) of the NDP. Any extensions/change of use/reconstruction should be subject to an appropriately detailed FRA. New areas of C1 development within Flood Zone A or B are located off Metges Road (Priory Stream) and Convent Lane (River Boyne). For the Metges Road site it is recommended that open space is maintained adjacent to the watercourses within Flood Zone A/B. An appropriately detailed FRA will be required to demonstrate that any planning application(s) are employing this approach. Consideration of the future impacts of climate change and the residual risks arising from culvert blockage should also be provided. An extant permission is in place on the Convent Lane site and in this case the Justification Test is not applied. Any new applications on the site will be subject to FRA and under the next full review of the land use zoning objectives (if there is no extant permission in place) the zoning should be considered in line with the sequential approach. Any extension of duration application must provide a revised FRA and any subsequent FRAs must be in accordance with policies (INF POL 49 to 64) of the NDP.	No
D1 - Tourism	No fluvial risk in this zoning objective.	No
E1 - High Technology	E1 lands primarily relate to the Navan Business and Technology Park (IDA lands) although another area is identified adjoining the Navan - Drogheda rail line to the east of the town. The partially un- modelled Priory Stream runs through the lands and risk is expected to be low as a result of the small stream size. Any future planning applications on the site should be subject to an appropriately detailed FRA at development management stage to demonstrate that the sequential approach has been applied and that the application fully adheres to the Planning System and Flood Risk Management Guidelines.	No
E2 - General Enterprise & Employment	E2 lands are mostly outside Flood Zone A/B and are at low risk of flooding. E2 lands within Flood Zone A/B are found adjacent to the River Blackwater, Boyne and an unnamed tributary of the Boyne in the north of the settlement. All are developed, and risk should be managed in line with the policies (INF POL 49 to 64) of the NDP. Any extensions/change of use/reconstruction should be subject to an appropriately detailed FRA.	No
F1 - Open Space	Open space is water compatible and is an appropriate zoning objective within Flood Zones A and B.	No
G1 - Community Infrastructure	G1 lands at risk of flooding include areas in Johnstown, north of Tara Mines and the River Blackwater, and upstream of Balreask Manor and Canterbrook estates. All three areas are currently undeveloped. The margin of Flood Zone A/B within each site is small or localised adjacent to the watercourse. In each case any future planning applications on the sites should be subject to an appropriately detailed FRA at development management stage to demonstrate that the sequential approach has been applied and that the application fully adheres to the Planning System and Flood Risk Management Guidelines (in line with NDP policies). FFLs for highly vulnerable land uses should be set above the 100yr flood level, including an allowance for the potential impacts of climate change and additional freeboard.	No
H1 - High	Most high amenity uses are water compatible and include	No

Land Use	Comment flood risk	Justification
Zoning		Test Required?
Amenity	cycleways, greenways, trail development and water based recreational activities., H1 is therefore an appropriate zoning objective within Flood Zones A and B.	
WL - White Lands	It is the general expectation that such lands will not be developed during the life of the NDP and as such no indication of offered regarding the suitability or otherwise of individual uses within the Development Plan. No consideration of the vulnerability of land uses to flood risk pertaining to this zoning objective can be carried out as a result.	No
R1 - Strategic Rail Corridor	The protection of the designated route of the extension of the Clonsilla to Parkway rail line to Navan is catered for by zoning objective R1 "To provide for a strategic rail corridor and associated physical infrastructure." The zoning has a single purpose use which is to protect the designated route from development which would otherwise compromise its future delivery. As such, the Justification Test and more detailed FRA of the corridor is not required. At such a time as the scheme is formally progressed then the detailed design should be subject to further investigation in line with the Planning System and Flood Risk Management Guidelines. For the most part the route alignment seeks to utilise an existing de- commissioned railway line and many of the river crossings are already in place. Any new crossings will also need to obtain OPW Section 50 consent.	Not at this stage
Distributor Roads	Proposed road objectives intersect Flood Zones A/B in six locations within the NDP. Three are subject to extant Part VIII planning permissions, a fourth is included within the Strategic Development Zone (SDZ) Planning Scheme and the fifth has been subject to a route selection process. The remaining alignment is currently indicative. Extant planning permissions and the link contained in the SDZ Planning Scheme are not subject to the Justification Test, although two sites may require additional assessment. The indicative sites will require further assessment once the routes are confirmed and intersections with Flood Zone A/B have been identified, in line with the INF OBJ 54 of the NDP. OPW Section 50 consent for all watercourse crossings will be required prior to construction.	Not at this stage

6.3 Zoning Review

The following review concentrates on undeveloped land use zoning objectives through the presentation of individual tables highlighting areas at potential risk, with comments and further detail on how it is recommended that flood risk is managed. In many locations the Eastern CFRAM flood mapping and management plan will provide additional clarity to flood mapping and risk management measures and should be consulted when published.

JBA



6.3.1 New Residential (A2) - Undeveloped Zoned Land

JBA Comment:

The site is located adjacent to the Metges Road and is undeveloped but subject to extant planning permissions and has therefore retained an A2 zoning. There is a margin of Flood Zone A from the Priory Stream and tributaries that flow through the land parcels. Extant permissions are in place for which no formal FRAs were completed (due to the applications being lodged prior to the requirement for FRA) and the extent of flood risk is not clear at this stage. It is likely that the risk from the watercourses will be marginal, given the steep slope and small catchment. In the case of an extant permission the Justification Test is not applied. The Eastern CFRAM will provide additional information when published.

If the sites remain unconstructed and the planning applications lapse, any future planning applications on the site should be subject to an appropriately detailed FRA specific to the new site layout. At such a stage it may be found that the site cannot be developed as planned. Under the next full review of the land use zoning objectives contained in the NDP (if there is no extant permission in place) the lands and zoning should be considered in line with the sequential approach and Justification Test for Plan Making.

Sections of the Priory Stream and its tributaries are un-modelled (have no associated flood outline) and flood risk still exists as a result of the watercourses. Although there is no evidence of historic flooding any future planning applications must take into account the entire length of the watercourse passing through the land. Un-modelled watercourses are clearly indicated in Figure 2-1 and land use zoning map above, and it is important to note that an absence of flood zone on these watercourses does not indicate an absence of flood risk; it is simply that this risk has not been quantified.

Under an appropriately detailed FRA it must be demonstrated that the FFLs of all residential dwellings are set above the 100yr flood level, including an allowance for the impacts of climate change and additional freeboard. In adopting this approach it must be demonstrated that there is no increase in risk to neighbouring development.



6.3.2 New Residential (A2) - Undeveloped Zoned Land

JBA Comment:

Upstream of the Balreask Manor and Canterbrook Estates are significant greenfield lands zoned for development. The Swan River passes through the land and the extent of flooding from Flood Zone B intersects A2 and G1 land use objectives.

The extent through the A2 lands is limited to a small area of Flood Zone B south of the river channel to the west of the G1 lands, circled red in the image above. This is the area identified for the Neighbourhood Centre. Risk can be appropriately managed by the application of the sequential approach within the zoning objective, which should apply to the building footprint and associated access roads. This will ensure that lands falling within Flood Zone B are used for water compatible or less vulnerable land uses. In addition, an appropriately detailed FRA at development management stage will be required to demonstrate that the application fully adheres to the Planning System and Flood Risk Management Guidelines. The assessment should appropriately set FFLs and consider residual risk from culvert blockage, flood defence assets and climate change.

Conclusions	Application of the sequential approach within the A2 zoning to
	maintain open space or less vulnerable land use within Flood Zone
	B lands. Appropriately detailed FRA to demonstrate that any
	planning applications are employing the required approach.


6.3.3 New Residential (A2) - Undeveloped Zoned Land

JBA Comment:

Adjacent to Windtown Road are undeveloped lands that are zoned for A2 purposes. A small un-modelled watercourse goes into culvert upstream of the Windtown Road and then passes in an open channel through the A2 lands. There is no flood history from the watercourse and the risk posed is expected to be minor. Adoption of a green corridor (of 5-10m) either side of the watercourse is recommended for flood management, maintenance and ecological reasons. In addition, an appropriately detailed FRA at development management stage is required to demonstrate that the application fully adheres to the Planning System and Flood Risk Management Guidelines. Attention should be given to the impacts of future climate change and culvert blockage.

Conclusions	Application of the sequential approach within the A2 zoning to maintain a green corridor adjacent to the watercourse. Appropriately detailed FRA to demonstrate that any planning applications are employing the required approach. Consideration of the future impacts of climate change and culvert blockage
	should also be provided. Refer to Eastern CFRAM deliverables when available to assist in the completion of any future FRAs.

6.3.4 Mixed Use (C1) - Undeveloped Zoned Land

Area adjacent to Metges Road



JBA Comment:

Adjacent to Metges Road are undeveloped lands that are zoned for C1 purposes. The Priory Stream flows in a southerly direction along the western boundary of the site. There is no flood history from the watercourse and the risk posed is expected to be minor. Appropriately detailed FRA at development management stage will be required to demonstrate that the application fully adheres to the Planning System and Flood Risk Management Guidelines, which will require finished floor levels to be set above the 1 in 100 year level, with an allowance for climate change and freeboard, as well as the residual risks associated with culvert blockage. The FRA should also demonstrate that any proposed development will not increase flood risk to adjacent lands.

Conclusions	Application of the sequential approach within the C1 zoning to maintain open space adjacent to the watercourse. Appropriately detailed FRA to demonstrate that any planning application(s) are employing the recommended approach. Consideration of the future impacts of climate change and any culvert blockage should also be provided. Poter to Factors CERAM deliverables when
	also be provided. Refer to Eastern CFRAM deliverables when available to assist in the completion of any future FRAs.



6.3.5 Mixed Use (C1) - Urban Redevelopment Lands

JBA Comment:

A significant amount of C1 lands are located in the area around the confluence of the Boyne and Blackwater Rivers. Most of the C1 lands host existing development and management of risk will be handled at development management stage through the application of NDP policies WS POL 49 to 62.

One extant permission exists on Convent Lane (circled red above) and a margin of Flood Zone A and B extends onto the site from the River Boyne. The extant permission relates to a mixed use application for living accommodation, offices and car parking. An FRA was completed in 2004 and was submitted during the application process in 2008 (prior to the Planning System and Flood Risk Management Guidelines of November 2009), living accommodation on the lower floor is unlikely to meet the requirements of the November 2009 Guidelines. In the case of an extant permission the Justification Test is not applied. Eastern CFRAM deliverables will provide additional information when published.

If the sites remain unconstructed and the planning applications lapse, any future planning applications on the site should be subject to an appropriately detailed FRA specific to the revised zoning and it may be found that the site cannot be developed as planned. Under the next full review of the land use zoning objectives contained in the NDP (if there is no extant permission in place) the lands and zoning should be considered in line with the sequential approach and Justification Test for Plan Making. Any extension of duration application must provide a revised FRA which must be in accordance with policies (POL 49 to 64) of the NDP.

Conclusions	The Justification Test is not applied for extant permissions. However, any new applications will be subject to FRA and under the next full review of the land use zoning objectives contained in the NDP(if there is no extant permission in place) the zoning should be considered in line with the sequential approach. Any extension of duration application must provide a revised FRA which must be in accordance with policies (INF POL 49 to 64) of the MCDP. Refer to Eastern CFRAM deliverables when available
	to assist in the completion of any future FRAs.

6.3.6 Mixed Use (C1) - Undeveloped Zoned Land



JBA Comment:

A significant amount of C1 lands are also located between the Kells Road (N51) and the River Blackwater. The River Blackwater poses a risk to some of the existing developments and there is little land that is left un-developed. The one remaining area is circled red above. A very small extent of Flood Zone A/B affects the western edge of the zoning objective within a site with an extant planning permission.

Risk can be managed by applying the sequential approach and avoiding development in the margins of the site, instead maintaining a green corridor with no increase in ground levels adjacent to the watercourses (as a minimum within Flood Zone A/B). As a consequence, risk is avoided and the Justification Test does not need to be applied.

Under an appropriately detailed FRA it must be demonstrated that the FFLs of any development are set above the 100yr flood level including the impacts of climate change and additional freeboard.

One extant permission exists on the south western edge of the area circled red above, which extends into previously developed C1 lands, and includes proposals to excavate a basement for car parking. A margin of Flood Zone A and B extends onto the site from the River Blackwater, but the proposed development is classed as 'less vulnerable' and it should be possible to manage the potential impacts of flooding on site. In the case of an extant permission the Justification Test is not applied. Eastern CFRAM deliverables will provide additional information when published.

Conclusions	Any future planning applications on the C1 land should be subject to an appropriately detailed FRA at development management stage to demonstrate that the sequential approach has been applied and that the application fully adheres to the Planning System and Flood Risk Management Guidelines. FFLs should be set above the 100yr flood level including the impacts of climate change and additional freeboard. Refer to Eastern CFRAM deliverables when evening to accept in the completion of any
	· · · ·



6.3.7 High Technology (E1) - Part-developed Zoned Land

JBA Comment:

Parts of the Navan Business and Technology Park are currently undeveloped and there is potential for future expansion of development within the area. The Priory Stream runs in a southerly direction through the site and is an un-modelled watercourse. The risk posed by the watercourse is thought to be low due to the minor nature of the watercourse and there are no historic records of flooding in the area.

Risk can be managed by applying the sequential approach and maintaining a green corridor with no increase in ground levels adjacent to the watercourse. As a consequence, risk will be avoided and the Justification Test does not need to be applied.

Planning applications for development neighbouring the Priory Stream should submit appropriately detailed FRA demonstrating that the flood risk has been managed in accordance with the Planning System and Flood Risk Management Guidelines.



6.3.8 Community Infrastructure (G1) - Undeveloped Zoned Land

JBA Comment:

Undeveloped G1 lands are located to the east of the existing development in Johnstown. A tributary of the Priory Stream runs in a westerly direction along the southern boundary of the site and this is an un-modelled watercourse. The risk posed by the watercourse is thought to be low due to the minor nature of the watercourse and there are no historic records of flooding in the area.

An extant planning permission for a 72 bed nursing home exists on part of the site, however the nearest building to the watercourse is located 30m away and FFL is at least 1m above the top of bank level. As a result the risk to the development is likely to be low. In the case of an extant permission the Justification Test is not applied. Eastern CFRAM deliverables will provide additional information when published.

If the sites remain unconstructed and the planning applications lapse, any future planning applications on the site should be subject to an appropriately detailed FRA. Under the next full review of the land use zoning objectives contained in the NDP (if there is no extant permission in place) the lands and zoning should be considered in line with the sequential approach and Justification Test for Plan Making. Any extension of duration application must provide a revised FRA which must be in accordance with policies (INF POL 49 to 64) of the MCDP.

On the remainder of the site risk can be managed by applying the sequential approach and maintaining a green corridor with no increase in ground levels adjacent to the watercourse. As a consequence, risk is avoided and the Justification Test does not need to be applied.

Planning applications for development of these lands should submit an appropriately detailed FRA demonstrating that the flood risk has been managed in accordance with the Planning System and Flood Risk Management Guidelines.

Conclusions	The Justification Test is not applied for extant permissions. Any
	future planning applications on the site should be subject to an
	appropriately detailed FRA at development management stage.
	FFLs for should be set above the 100yr flood level including the
	impacts of climate change and additional freeboard. Under the
	next full review of the land use zoning objectives contained in the
	NDP(if there is no extant permission in place) the zoning should be
	considered in line with the sequential approach. Any extension of
	duration application must provide a revised FRA which must be in
	accordance with policies (INF POL 49 to 64) of the MCDP. Refer
	to Eastern CFRAM deliverables when available to assist in the
	completion of any future FRAs.



6.3.9 Community Infrastructure (G1) - Undeveloped Zoned Land

JBA Comment:

Upstream of the Balreask Manor and Canterbrook estates are significant greenfield lands which have been zoned for development. The Swan River passes through the land and the extent of flooding from Flood Zone B intersects A2 and G1 land use objectives.

The extent through the G1 lands is limited to an area of Flood Zone B south of the river channel, circled red in the image above. Risk can be appropriately managed by the application of the sequential approach within the zoning objective. This will ensure that lands falling within Flood Zone B are used for water compatible land uses such as sports/playing pitches or open space. In addition, an appropriately detailed FRA at development management stage will be required to demonstrate that the application fully adheres to the Planning System and Flood Risk Management Guidelines. The assessment should appropriately set FFLs and consider residual risk from culvert blockage, flood defence assets and climate change.

Conclusions	Application of the sequential approach within the G1 zoning to maintain open space within Flood Zone A/B lands. Appropriately detailed FRA to demonstrate that any planning applications are employing the stated approach. Consideration of the future	
	impacts of climate change, flood defence assets and culvert blockage should also be provided.	



6.3.10 Community Infrastructure (G1) - Undeveloped/Redevelopment Zoned Land

JBA Comment:

Undeveloped G1 lands are situated opposite the Taramines site on lands to the north of the River Blackwater. A tributary of the River Blackwater runs in a south westerly direction through the site and this is an un-modelled watercourse. The risk posed by the tributary is thought to be low due to the minor nature of the watercourse and there are no historic records of flooding in the area. The risk from the River Blackwater extends along a margin of land in the south west corner of the site.

Risk can be managed by applying the sequential approach and maintaining a green corridor with no increase in ground levels adjacent to the River Blackwater tributary. As a consequence, risk can be avoided and the Justification Test does not need to be applied. A similar approach can be adopted for the River Blackwater Flood Zone A/B lands.

Planning applications for development of these lands should include an appropriately detailed FRA demonstrating that the flood risk has been managed accordingly.

Conclusions	Any future planning applications on the site should be subject to an appropriately detailed FRA at development management stage to demonstrate that the sequential approach has been applied and that the application fully adheres to the Planning System and Flood Risk Management Guidelines. FFLs should be set above the 100yr flood level including the impacts of climate change and additional freeboard. Refer to Eastern CFRAM deliverables when available to assist in the completion of any future FRAs.
	available to assist in the completion of any future FRAS.

6.3.11 Distributor Road Objectives



JBA Comment:

Road objectives intersect with Flood Zones/watercourses in six separate locations (listed LDR1 - 6 above). River crossings are included for the River Blackwater (LDR 3 & 4), Blackwater tributary (LDR 3), Swan River (LDR 1 & 2) and Mill Stream (LDR 6). LDR 5 does not include for a crossing but the road alignment interacts with the margin of Flood Zones A/B.

The proposed road objective alignments LDR 3 & 4 are not yet confirmed although the latter has undergone a Constraints, Route Selection and Preliminary Design Report. During the environmental assessment stage for the road schemes, the Justification Test will need to be applied if alignments intersect with Flood Zone A/B, INF OBJ 54 refers. An FRA will be required to manage the risk and to demonstrate there will be no impact on adjacent lands.

The proposed road objectives of LDR 1, 2 & 6 have already been granted Part VIII planning consent whilst LDR 5 is included as part of the Clonmagadden Strategic Development Zone Planning Scheme and the route alignments are therefore effectively fixed. As such, the permissions are extant and the Justification Test does not apply. LDR 1 crosses the Swan River and also includes for an underpass beneath the railway line that is currently within Flood Zone A. The functionality of the route should be reviewed in relation to the potential for flooding and the status of any planned flood relief works on the Swan River, as defined by the Swan River Flooding Strategy completed by RPS on behalf of Meath County Council. Works have been completed upstream of Balreask Manor Estate but proposed works to the railway culvert and upstream channel are yet to be agreed.

OPW Section 50 consent for all watercourse crossings will be required.

Conclusions

Proposed road objectives LDR 3 & 4 are indicative and subject to review. During the environmental assessment stage, the Justification Test will need to be applied if alignments intersect with Flood Zone A/B, INF OBJ 54 refers. FRA will be required to

manage the risk and to demonstrate there will be no impact on adjacent lands. The road objectives LDR 1, 2 & 6 have been granted Part VIII planning permission whilst LDR 5 is included as part of the Clonmagadden Strategic Development Zone Planning Scheme and the Justification Test does not apply. Functionality of LDR 1 should be reviewed in relation to existing flood risk and proposed future flood relief measures. Use Eastern CFRAM deliverables when available. OPW Section 50 consent for all watercourse crossings will be required.

6.4 SFRA Review and Monitoring

An update to the SFRA will be triggered by the six year review cycle that applies to Local Authority development plans. In addition, there are a number of other potential triggers for an SFRA review and these are listed in the table below.

There are a number of key outputs from possible future studies and datasets, which should be incorporated into any update of the SFRA as availability allows. Not all future sources of information should trigger an immediate full update of the SFRA; however, new information should be collected and kept alongside the SFRA until it is updated.

Navan is currently subject to a detailed flood risk mapping and management study under the Eastern CFRAM. It will be necessary to review the results and recommendations of the Eastern CFRAM when the results become available.

Table 6-3 SFRA Review Triggers

Trigger	Source	Possible Timescale
Catchment Flood Risk Assessment and Management (CFRAM) Flood Mapping	OPW under the Floods Directive	2014
Eastern River Basin Flood Risk Assessment and Management (ECFRAM) Plan	OPW	2015/6
Flood maps of other sources, such as drainage networks	Various	Unknown
Significant flood events	Various	Unknown
Changes to Planning and / or Flood Management Policy	DoEHLG / OPW	Unknown
Detailed FRAs	Various	Unknown

JBA consulting

Appendices

A Flood Zone Mapping





Registered Office

24 Grove Island Corbally Limerick Ireland

T: +353 (0) 61 345463 e: info@jbaconsulting.com

JBA Consulting Engineers and Scientists Limited

Registration number 444752

Visit our website www.jbaconsulting.com