



LEGEND

TREE CONDITION CATEGORIES

A TREES OF HIGH VALUE AND QUALITY

B TREES OF MODERATE VALUE AND QUALITY

C TREES OF LOW QUALITY AND VALUE


U TREES OF VERY LOW VALUE AND QUALITY TO BE REMOVED IN THE INTERESTS OF SOUND ARBORICULTURAL MANAGEMENT

TREE CONSTRAINTS


SITE BOUNDARY

Drawing to be interpreted with reference to Tree Survey document

Tree constraints shown are calculated from guidelines contained within BS5837 (2012) within dimensions contained within Section 8 of the Tree Survey document. This outline should not be interpreted as the exact extent of root spread however it is considered the optimal area to be retained free of developmental impacts. Natural and/or man made barriers such as waterlogged soil or buildings may restrict the spread of tree roots. Crown spreads may also prove to be a constraint particularly where crown reduction may not be possible. The constraints lines shown on this drawing are therefore a guide only. An on-site assessment should be undertaken in the event of any developments being planned within the areas shown for retained trees.



REV	DATE	DESCRIPTION



CMK
Horticulture & Arboriculture Ltd.

CLIENT:
MEATH COUNTY COUNCIL

DRAWING:
TREE SURVEY & CONSTRAINTS - (2 OF 4)

DRAWN BY:
NIAL MCBRIDE

PROJECT:
BOYNE GREENWAY, CO. LOUTH

DATE:
15-06-20

NMB
INITIALS

JOB NO.
TBOY001

DRAWING NO.
103

REVISION.
A

NOTES
Do Not Scale. Use Pictured Dimensions Only.
Not for Construction. Prepare under Specificity Marked.
© THIS DRAWING IS COPYRIGHT OF CMK HORTICULTURE + ARBORICULTURE

STATUS: INFORMATION