


TYPICAL DETAILS OF ATTENUATION TANK USING GEOCELLULAR MODULAR UNITS (FRONT VIEW)



NTS



TYPICAL DETAILS OF ATTENUATION TANK USING GEOCELLULAR MODULAR UNITS (SIDE VIEW)

NTS

- ATTENUATION TANK NOTES:
- REFER TO DRAINAGE DRAWINGS 182196-PUNCH-XX-XX-DR-C-0100 FOR TANKS LOCATIONS.
 - SHOWN DETAILS ARE TYPICAL. CONTRACTOR TO REFER TO MANUFACTURERS DETAILS & REQUIREMENTS FOR PROJECT SPECIFIC INFORMATION & DETAILS.
A 3 - 5% CBR HAS BEEN ASSUMED AT SUB-BASE LEVEL SHOULD THE CBR BE TESTED AND FOUND TO BE LESS THAN 3% THEN THE CONTRACTORS SPECIALIST DESIGNER SHALL BE NOTIFIED. ALSO, ANY SOFT SPOTS FOUND AT SUB-BASE LEVEL SHALL BE REPORTED TO THE CONTRACTORS SPECIALIST DESIGNER.
 - THE CONTRACTOR SHALL PROVIDE TEMPORARY MEASURES TO ACCOUNT FOR GROUNDWATER.
 - THE CONTRACTOR SHALL PROHIBIT THE MOVEMENT OF CONSTRUCTION PLANT ACROSS THE STORAGE TANK AND WHERE NECESSARY PROVIDE ADDITIONAL SUPPORT AND PROTECTION TO THE STRUCTURE. PARTICULARLY POST CONSTRUCTION. TEMPORARY FENCING CAN BE USED TO PROHIBIT TRADE STOCKS, PILLING MATERIALS, HEAVY PLANTS ETC.,



VENTILATION BOX DETAIL


NTS

TYPICAL 1600 VENT/ACPIPE CONNECTION

NTS

© PUNCH Consulting Engineers

This drawing and any design hereon is the copyright of the Consultants and must not be reproduced without their written consent.
All drawings remain the property of the Consultants.
Figured dimension only to be taken from this drawing.
Consultants to be informed immediately of any discrepancies before work proceeds.



Rev	Amendment	By	Date	Rev	Amendment	By	Date	Client:
C01	PLANNING ISSUE	DAP	2022-11-23					MEATH COUNTY COUNCIL

PUNCH
consulting engineers
Dublin | Limerick | Cork | Galway | Glasgow
Carnegie House Library Road,
Dun Laoghaire, Co. Dublin, A96 C7W7
t +353 1 271 2200 | w punchconsulting.com

Project: NEW COUNCIL CHAMBER AND OFFICE EXTENSION TO MEATH COUNTY COUNCIL CIVIC OFFICES					
Title: TYPICAL ATTENUATION TANK DETAILS					
Drawn: DAP	Date drawn: JULY 2022	Technician Check: DAP	Engineer Check: MR	Approved: MR	
Project No: 182196	Model Ref: 182196-PUNCH-XX-XX-M2-C-0500		Drawing Status: A0		Revision No: C01
Scale @ A1: AS INDICATED	Document No: 182196-PUNCH-XX-XX-DR-C-0500				